

WEST LAFAYETTE, Ind. -

in drug-delivery patches powered by fermentation.

yeast and sugar in a small

Researchers have created a new

type of miniature pump activated

by body heat that could be used

The micropump contains Baker's

chamber. When water is added

and the patch is placed on the

added water causes the yeast

dioxide gas. The gas pushes

against a membrane and has

for several hours, said Babak

Ziaie, a Purdue University

professor of electrical and

computer engineering and

been shown to continually pump


and sugar to ferment, generating

skin, the body heat and the

a small amount of carbon

September 11, 2012

Body heat, fermentation drive new drug-delivery 'micropump'



This diagram shows a new type of miniature pump activated by body heat that could be used in drugdelivery patches powered by fermentation. The micropump works by harnessing the pressure generated by fermenting yeast. Such drug-delivery patches might use arrays of "microneedles" to deliver a wider range of medications than now possible with conventional patches. (Purdue University image/Manuel Ochoa) Download Photo

biomedical engineering.

Such miniature pumps could make possible drug-delivery patches that use arrays of "microneedles" to deliver a wider range of medications than now possible with conventional patches. Unlike many other micropumps under development or in commercial use, the new technology requires no batteries, said Ziaie, who is working with doctoral student Manuel Ochoa.

"This just needs yeast, sugar, water and your own body heat," Ziaie said.

The robustness of yeast allows for long shelf life, and the design is ideal for mass production, Ochoa said.

Follow Us

Research News

I will if you will: What motivates spouses to get fit, manage illness

Innovation fund boosts commercialization of Purdue technologies

Some carbon nanotubes deplete beneficial microbes in certain soils

Indiana using new concrete to increase bridge life span

Seminar about discovery disclosures and America Invents Act set for Jan. 30

More Research News

"It would be easy to fabricate because it's just a few layers of polymers sandwiched together and bonded," he said.

Findings were detailed in a research paper published online in August in the journal *Lab on a Chip*. The paper was written by Ochoa and Ziaie, and the research is based at Purdue's Birck Nanotechnology Center in the university's Discovery Park.

The "the microorganism-powered thermopneumatic pump" is made out of layers of a rubberlike polymer, called polydimethylsiloxane, which is used commercially for diaphragms in pumps. The prototype is 1.5 centimeters long.

Current "transdermal" patches are limited to delivering drugs that, like nicotine, are made of small hydrophobic molecules that can be absorbed through the skin, Ziaie said.

"Many drugs, including those for treating cancer and autoimmune disorders cannot be delivered with patches because they are large molecules that won't go through the skin," he said. "Although transdermal drug delivery via microneedle arrays has long been identified as a viable and promising method for delivering large hydrophilic molecules across the skin, a suitable pump has been hard to develop."

Patches that used arrays of tiny microneedles could deliver a multitude of drugs, and the needles do not cause pain because they barely penetrate the skin, Ziaie said. The patches require a pump to push the drugs through the narrow needles, which have a diameter of about 20 microns, or roughly one-fourth as wide as a human hair.

Most pumps proposed for drug-delivery applications rely on an onboard power source, which is bulky, costly and requires complex power-management circuits to conserve battery life.

"Our approach is much more simple," Ziaie said. "It could be a disposable transdermal pump. You just inject water into the patch and place it on your skin. After it's used up, you would throw it away."

Researchers have filed an application for a provisional patent on the device.

An online Purdue Difference Makers feature about Ziaie is available at http://www.purdue.edu/differencemakers/ziaie.html

Writer: Emil Venere, 765-494-4709, venere@purdue.edu

Source: Babak Ziaie, 765-494-0725, bziaie@purdue.edu

Body heat, fermentation drive new drug-delivery 'micropump'

Note to Journalists: A copy of the research paper is available by contacting Emil Venere, 765-494-4709, venere@purdue.edu

ABSTRACT

A fermentation-powered thermopneumatic pump for biomedical applications

Manuel Ochoa ac and Babak Ziaie *abc

a School of Electrical and Computer Engineering, Purdue University

b Weldon School of Biomedical Engineering

c Birck Nanotechnology Center

We present a microorganism-powered thermopneumatic pump that utilizes temperature-dependent slow-kinetics gas (carbon dioxide) generating fermentation of yeast as a pressure source. The pump consists of stacked layers of polydimethylsiloxane (PDMS) and a silicon substrate that form a drug reservoir, and a yeast-solution-filled working chamber. The pump operates by the displacement of a drug due to the generation of gas produced via yeast fermentation carried out at skin temperatures. The robustness of yeast allows for long shelf life under extreme environmental conditions (50 °C, >250 MPa, 5-8% humidity). The generation of carbon dioxide is a linear function of time for a given temperature, thus allowing for a controlled volume displacement. A polymeric prototype (dimensions 15 mm x 15 mm x 10 mm) with a slow flow rate of <0.23 mL min-1 and maximum backpressure of 5.86 kPa capable of continuously pumping for over two hours is presented and characterized.



Webmail myPurdue

PurdueBoard Blackboard

Writing Lab Libraries

Employee Portal P-12 Connection

Directory Campus Map Calendars

Information Technolo

Purdue University, West Lafayette, IN 47907, (765) 494-2096

© 2012-13 Purdue University | An equal access/equal opportunity university | Copyright Complaints

If you have trouble accessing this page because of a disability, please contact Purdue News Service at purduenews@purdue.edu.

Feedback | Contact Purdue | Style Standards Maintained by: Purdue News Service